
**Conditions for the use of the
CERTIFIRE Certification Mark**

USE OF THE CERTIFIRE CERTIFICATION MARK



1. The CERTIFIRE mark ('the mark') may be used by certificated manufacturers and distributors.
2. There are three versions of the mark and one of the logo as shown on page 4. The appropriate mark shall only be used on:
 - Products – design A
 - Packaging and product literature – design B
 - Letterheads, display or promotional material – design C
3. The mark shall only be used in its entirety and without amendment.
4. The mark shall only be used in relation to products certificated by CERTIFIRE. The logo shall not be used in such a way that it implies certification of products, services or activities for which certification has not been awarded.
5. The mark, when used without the National Accreditation Mark (the UKAS mark), shall be used as detailed in note 2 above. When the mark is granted to a distributor the certificate number will be annotated with a suffix A, B, etc.
6. The mark, when used in association with the National Accreditation Mark (the UKAS mark) as shown below, may be used by manufacturers on their trade literature, on their letterheads and on any of their display or promotional material. A manufacturer shall submit his proposals for use of the marks to CERTIFIRE for approval.



7. The mark may also be used on vehicles, buildings and flags but NOT in association with the UKAS mark.
8. The mark shall be used at any size considered appropriate for the application and shall only be used to show the manufacturers involvement in fire protection systems. The relative proportions shall always be retained.
9. If the mark is used in association with the National Accreditation Mark (the UKAS mark) on stationery not larger than A4, the maximum height shall be 30mm and the minimum 20mm. However in some circumstances, which are usually dictated by reason of space, the marks may be reduced in size provided they remain clearly legible. Full details of the use of the National Accreditation Mark (the UKAS mark) can be found in the DTI publication ref URN 98/887 which is available at www.ukas.com.

10. The mark shall be printed in a single colour, the default reference for which is Pantone ref. 2945C. The mark may also be produced in the predominant ink colour of the document or letterhead. Alternatively the mark shall be produced in black.
11. The manufacturer shall, at the request of CERTIFIRE, cease to use the mark if CERTIFIRE deem the application inappropriate.
12. The mark shall not be used on any product or used in any manner to imply product approval or certification of a product which is not certificated.
13. A manufacturer shall, upon suspension of certification, immediately cease to issue documents that display the mark or contain reference to CERTIFIRE certification.
14. A manufacturer shall, upon termination of certification, immediately cease distribution of all items on which the mark is displayed and shall remove it from any other form of display or promotional application.
15. CERTIFIRE certificates issued within the scope of UKAS accreditation will carry a combined CERTIFIRE and National Accreditation Mark (the UKAS mark).
16. It is a condition of use that the mark shall not be used in any printed advertisements or printed publicity matter directed primarily to the market in the United Kingdom and in the Isle of Man or in retail point of sale display cards distributed by the Registered Proprietor for use within the United Kingdom and in the Isle of Man without indicating that it is a certification mark.
17. The use of the inner part of the mark ('the logo'), as given in design D on page 4, may be used for any promotional purposes. The logo shall only be used in relation to products certificated by CERTIFIRE. The logo shall not be used in such a way that it implies certification of products, services or activities for which certification has not been awarded.
18. Details of the colour and colour gradation of the logo may be obtained on request.
19. A manufacturer shall submit his proposals for use of the logo to CERTIFIRE for approval.

Design A



**APPROVED
CF xxxx**

Design B



**APPROVED PRODUCT
CF xxxx**

Design C



Design D

